

Medical Device Products

+

www.medist.cn

TONS INTERNATIONAL LIMITED

Add: Rm.507-509, Unit A1, Liyuanshangdu Building, 203 Lantian Road,
Ningbo, Zhejiang 31500, China
Tel: 0086-574-87274901 Fax: 0086-574-87264616
E-mail: sales@medist.cn

MEDIST
FOCUS ON HEALTH



COMPANY BRIEF

TONS INTERNATIONAL LIMITED (www.medist.cn)

Located in Ningbo, a coastal city of China, TONS INTERNATIONAL LIMITED is a manufacturer and exporter of medical products with thirty million dollars worth of sales annually to buyers in over thirty countries and regions worldwide.

We offer you the choice of different products from diagnostic Instruments, laboratory device, medical disposable, rehabilitation appliance, hospital furniture, emergency first aid, which you can combine into a single order and shipping container easily.

Having been in this line for many years, we have been perfecting our knowledge on finding the balance between high quality products and maintaining low prices.

We thereby provide our clients with the greatest benefit from our superior products and services. Visit us and you will find we are the right supplier that you are looking for!

INDEX

Diagnostic Instrument

Stethoscope	01	Disposable Bedsheet	30
Blood Pressure Monitor	01	Disposable Underpad	30
Oximeter	02	Disposable Suit/Gown/Cap/Shoe Cover	31
Thermometer	02	Disposable Glove/Mask/Face Shield	32

Laboratory Device

Pipette Tip & Accessory	03	Disposable Bedsheet	30
Tube & Accessory	05	Disposable Underpad	30
Petri Dish & Accessory	09	Disposable Suit/Gown/Cap/Shoe Cover	31
Stool & Urine Container	11	Disposable Glove/Mask/Face Shield	32
Embedding Cassette	12	Urodochium	33
Microscope Slides Accessory	13	Diaper	33

Medical Disposable

Oxygen Pressure Gauge	14	Disposable Bedsheet	30
Oxygen Inhaler	14	Disposable Underpad	30
HME	15	Disposable Suit/Gown/Cap/Shoe Cover	31
Tracheal HME	15	Disposable Glove/Mask/Face Shield	32
Bacterial Filter	16	Urodochium	33
HME Filter	16	Diaper	33
Spirometer Filter	17	Uring Bag	34
Mouth Piece	17	Foley Catheter	35
Anesthesia Breathing Circuit	17	Tourniquet	35
Circuit Accessory	18	Shaver & Surgical Balde	36
CPR Mask	19	Skin Stapler	37
Anesthesia Mask	19	Sutures	37
Disposable Nebulizer	19	Intravenous Needle	38
Oxygen Mask	19	Injection Needle	38
Venturi Mask	19		
Laryngoscope & Airway Device	20		
Closed Suction Catheter	20		
Nasal Cannula	20		
Gas Sampling Line	21		
Connectors	21		
Bandage	22		
Collar	27		
Skin Traction Kit	27		
Tape	27		
Gauze	28		
Wound Care Product	28		

Rehabilitation Appliance

Wheelchair	39
Rollator	40
Commode Chair	41
Shower Chair	41
Step Stool	42
Safety Rail	42
Walking Stick	43

Hospital Furniture

Height & Weight Scale	43
Screen	44
Operating Lamp	45
Operating Table	46
Orthopedic Traction Frame	47
Trolley	47

Emergency First Aid

Neck, Head & Limp Immobilizer	49
Stretcher	49
Emergency Bed	52
Stair Chair	58

Diagnostic Instruments



ST-1001

Single Head Stethoscope

Aluminum single head, chest-piece diameter 46mm, can be equipped with copper ear hanging or aluminum ear hanging.



ST-1004

Single Head Stethoscope With Non-chill Ring

Aluminum single head with cold proof ring, chest-piece diameter 46mm, can be equipped with copper.



ST-2001

Dual Head Stethoscope


Aluminum dual head, chest-piece diameter 46mm, can be equipped with copper ear hanging or aluminum ear hanging.



ST-2004

Dual Head Stethoscope With Non-chill Ring

Aluminum dual head with cold proof ring, chest-piece diameter 46mm, can be equipped with copper.



ST-4005

Disposable Stethoscope

Chest-piece, ear hanging, tube are all plastic.



ST-5003

Deluxe Cardiology Stainless Steel Stethoscope

Double diaphragm stainless steel head, new design Siamese diaphragm, excellent sealing, with internal spring stainless steel ear hanging, special wall thickness double tube, with soft silicone ear tips.



ST-5007

Stainless Steel Stethoscope(Pediatric)

Classic stainless steel dual head (Pediatric), chest-piece with high-end frequency diaphragm, spring stainless steel ear hanging, PVC tube, soft silicone ear tips.



BP8020

Blood Pressure Monitor

Blood pressure level classification indicator 99 memories, time and date display Power auto off Measuring range: 20mmHg-280mmHg Accuracy: ± 3 mmHg Arm size: 22-32cm Dimension: 15×13.8×6.8cm



BP8010

Blood Pressure Monitor

Blood pressure level classification indicator 99 memories, time and date display Automatic power off function Measuring range: 20mmHg-280mmHg Accuracy: within ± 3 mmHg Wrist size: 22-32mm Weight: 592g Machine size: 13.8×10.8×8.1cm

Diagnostic Instruments



BP6020

Blood Pressure Monitor

Blood pressure level classification indicator SYS/DIA pressure/pulse rate display separately Fuzzy logic 99 memories, time and date display Wrist circumference: 13.5-21.5cm Weight: 129g Machine size: 7.1×7.1×6.5cm



OXM100

Oximeter

Dimension: 5.7×3.1×3.05cm Display mode: TFT color display, 0.96 inch, reversible. Battery: 2×AAA(not included) Blood oxygen saturation and pulse rate Measurement range oxygen saturation: 35-100% Pulse rate: 30-250BPM Graduation value of blood oxygen saturation: 1% Pulse rate division value: 1BPM Low power alarm function Automatic sleep function



TM3020

Thermometer

LED Three colors back-light display; Measuring temperature range: 32.0°C~43.0°C Measurement accuracy: 1)<35.0°C~42.0°C:±0.2°C 2)>35.0°C~42.0°C:±0.3°C Measurement time: <2s Measurement data memories: 32 sets Power auto off Measurement mode: frontal temperature mode Distance measurement function Temperature alarm setting Dimension: 17×6.5×3.7cm



TM3010

Thermometer

Precise non-contact measurements User selectable °C-°F Selectable body and surface temperature Memorization of the last 32 measurements Automatic data hold & auto power off Automatic selection range and display Resolution 0.1°C (0.1°F) Weight: 100g Machine size: 9×4.3×14.7cm



TM1010

Thermometer

User selectable °C -°F Selectable ear and forehead temp Memorization of the last 10 measurements Automatic power off Automatic selection range and display Resolution 0.1°C (0.1°F) Weight: 90g Machine size: 15.4×3.4×6cm



TM3030

Thermometer

LCD Three colors back-light display Measuring temperature range: 32.0°C~43.0°C Measurement accuracy: 1)<35.0°C~42.0°C:±0.2°C 2)>35.0°C~42.0°C:±0.3°C Measurement time: <2s Measurement data memories: 32 sets Power auto off Measurement mode: frontal temperature and ear temperature mode Automatic switching ear temperature function Temperature alarm setting Dimension: 17.5×4×2.5cm




TM2020/TM2030

Thermometer


Measuring temperature range: 32°C~42°C Measurement time: 1 minute Measurement data memory: 1 set Power auto off: 10 minutes Dimension: 12.5×1.78×0.93cm

Laboratory Consumable



GPT01

Pipette Tip & Accessory
Gilson PP pipette tip
Size: 5-10UL, 200UL yellow, 200UL with graduation yellow, 1000UL blue




GPT02

Pipette Tip & Accessory
Gilson (filter) PP pipette tip
Size: 5-10UL, 200UL yellow, 1000UL blue




GPT0110

Pipette Tip & Accessory
PP pipette tip
Type: Gilson long type 1000UL, Gilson 5000UL, Finland 5000UL, DaLong 5000UL



EPT01

Pipette Tip & Accessory
Eppendorf PP pipette tip
Size: 5-10UL, 200UL Yellow, 200UL with graduation yellow, 300UL, 1000UL blue




FPT01

Pipette Tip & Accessory
Finland PP pipette tip
Size: 200UL, 1000UL



OPT01

Pipette Tip & Accessory
OXFORD PP pipette tip
Size: 200UL, 1000UL



MPT01


Pipette Tip & Accessory
MLA PP pipette tip
Size: 200UL, 1000UL



DPT0110

Pipette Tip & Accessory
10ML pipette tip
Type: DaLong biohi, Rainin, Rongtai

Laboratory Consumable



TB02028

Pipette Tip & Accessory
Tip box 28 well for 5UL




TB03096

Pipette Tip & Accessory
Tip box 96 well for 10UL, PP



TB04096

Pipette Tip & Accessory
Tip box 96 well for 10UL, PP
Tip box 96 well for 10 UL Eppendorf tip, PP




TB05096

Pipette Tip & Accessory
Tip box 96 well for 200UL, long type



TB06096

Pipette Tip & Accessory
Tip box 96 well for 200UL, PP
Type 3 for 200UL Eppendorf tip



TB07060

Pipette Tip & Accessory
Tip box 60 well for 1000UL, long type



TB08060

Pipette Tip & Accessory
Tip box 60 well for 1000UL
Type 2 for 1000UL Eppendorf tip



TB09028

Pipette Tip & Accessory
Tip box 28 big well for 5ml



TB10015

Pipette Tip & Accessory
Tip box 15 well for 10ml

Laboratory Consumable



TMP01

Pipette Tip & Accessory
Tube for multi-channel pipettor, PP




PRC01

Pipette Tip & Accessory
Pipettor rack, carrousel type



PRL01

Pipette Tip & Accessory
Pipettor rack, line type, assembled



PRH01

Pipette Tip & Accessory
Pipettor rack, hexad type, unity mould



CT0102

Tube & Accessory
Centrifuge tube, pp
Size: 0.2ml, flat and round lid
0.5ml, various color



CT0215

Tube & Accessory
Centrifuge tube, 1.5ml, various color, PP



CT0305

Tube & Accessory
Centrifuge tube, PP
Size: 5ml, molded graduation, round bottom, brown and natural color
7ml, without graduation, round bottom
10ml, hinged lid, with graduation, round bottom



CT0410

Tube & Accessory
Centrifuge tube 10ml, screw cap, black/white printed graduation
Type: round bottom, conical bottom



CT0515

Tube & Accessory
Centrifuge tube 15ml, screw cap, black/white printed graduation
Type: round bottom, conical bottom

Laboratory Consumable




CT0650

Tube & Accessory
Centrifuge tube 50ml, screw cap, black/white printed graduation
Type: conical, conical and self-standing, round bottom




CT0750

Tube & Accessory
Centrifuge tube, plug-in cap, round bottom
Size: 50ml, 100ml




PES01

Tube & Accessory
Pestle, used in microtube 1.5ml



PCRT0102

Tube & Accessory
PCR tube, flat and domed lid, vol 0.2ml, PP
Type: 8 stripe, 12 stripe




BCT01072

Tube & Accessory
Box for centrifuge tube, PP
Type: 72 well for 1.5ml, 98 well for 0.5ml, 72 well for 0.5ml




BCT02100

Tube & Accessory
Box for centrifuge tube, PP
Type: 100 well for 1.5ml



BCT03016

Tube & Accessory
Box 16 well for 50ml centrifuge tube, cardboard



BCT04049

Tube & Accessory
Box 49 well for 15ml centrifuge tube, cardboard



PCT01060


Tube & Accessory
Plate for 0.5ml and 1.5ml centrifuge tube, PP
Type: 60 well, 96 well

Laboratory Consumable




RCT0102

Tube & Accessory
Rack for 0.2-50ml centrifuge tube, PP



RCT0215

Tube & Accessory
Rack for 15, 50ml centrifuge tube,
18 well for 15ml,
10 well for 50ml



RCT0315

Tube & Accessory
Rack for 15, 50ml centrifuge tube,
30 well for 15ml,
20 well for 50ml




CT0105PP

Tube & Accessory
Cryo tube, with silicon ring, PP
Size: 0.5ml, conical bottom, 0.5ml,
standable, 1ml, standable



CT0305PP

Tube & Accessory
Cryo tube, PP
Size: 5ml, with silicon ring
10ml, screw cap



FB0118

Tube & Accessory
Freezing box for 1.8ml cryo tube,
cardboard
Size: 100 well, 81 well



FB0218

Tube & Accessory
Freezing box for 1.8ml cryo tube,
hinged cover, with mark on the cover,
cardboard
Size: 100 well, 81 well



FB0318


Tube & Accessory
Freezing box 100 well for 1.8ml cryo
tube, PP



FB0418


Tube & Accessory
Freezing box 100 well for 1.8ml cryo
tube, hinged cover, PP

Laboratory Consumable




FB0518

Tube & Accessory
Freezing box 81 well for 1.8ml
cryo tube, PP




FB0605

Tube & Accessory
Freezing box 36 well for 5ml
cryo tube, PP



FB0718

Tube & Accessory
Freezing box 25 well for 1.8ml cryo tube
Material: PP, PC, cardboard




FB0818

Tube & Accessory
Freezing box 81 well for 1.8ml
cryo tube, PC



TT01

Tube & Accessory
Test tube
Material: PS, PP
Size(mm): 12×60, 12×75, 13×75, 13×78
12×100, 13×100, 15×100, 16×100, 16×102
16×125, 16×150



UST01

Tube & Accessory
Urine sediment tube 12ml
Type: plain mouth, wide mouth, screw cap



TTS01

Tube & Accessory
Test tube stopper, PE
Size (Φ,mm): 12, 13, 15, 16, 40
Type: flange type, non flang type



TTR01090

Tube & Accessory
Test tube rack 90 well for Φ12-13mm
tube, PP



TTR02060


Tube & Accessory
Test tube rack 60 well for Φ15-17mm
tube, PP

Laboratory Consumable



TTR03040

Tube & Accessory
Test tube rack 40 well for Ø20-21mm tube, PP




TTR04050

Tube & Accessory
Test tube rack 50 well, detachable, plastic
Tube size (Ø, mm): 12-13, 15-17, 18-19



TTR05050

Tube & Accessory
Multi-function test tube rack 50 well , plastic
Tube size (Ø, mm): 12-21




TTR06066

Tube & Accessory
test tube rack 66 pillar, plastic
tube size (Ø, mm): 12-15




PD0115

Petri Dish & Accessory
Petri dish, PS
Sizes: Ø35×15mm
Ø60×15mm, Ø70×15mm




PD0215

Petri Dish & Accessory
Petri dish, PS
Room: 1, 2, 3
Size: Ø90×15mm, Ø90×20mm



PD0315

Petri Dish & Accessory
Petri dish, PS
Size: Ø100×15mm, Ø120×15mm



PD0415

Petri Dish & Accessory
Petri dish, PS
Size: Ø150×15mm



PD0515


Petri Dish & Accessory
Petri dish, square shape, counting area, PS
Size: Ø100×100×15mm

Laboratory Consumable




PD0615

Petri Dish & Accessory
Petri dish, square shape, PS
Size: Ø130×130×15mm



CP01006

Petri Dish & Accessory
Culture plate 6 well, PS




CP02012

Petri Dish & Accessory
Culture plate 12 well, PS




CP03024

Petri Dish & Accessory
Culture plate 24 well, PS




CP04048

Petri Dish & Accessory
Culture plate 48 well, PS



CP05096

Petri Dish & Accessory
Culture plate 96 well, flat/u/v bottom, PS




CP06384

Petri Dish & Accessory
Culture plate 384 well, PS



ICS01


Petri Dish & Accessory
Inoculation cell spreader, shape L, triangle, PP



EP01096


Petri Dish & Accessory
Elisa plate 96 well, detachable, plastic

Laboratory Consumable



IL01

Petri Dish & Accessory
Inoculation loop, sterilized, AS
Size: 1UL, 10UL, 1+10UL



IL02

Petri Dish & Accessory
Inoculation loop, sterilized, PS
Size: 1UL, 10UL



TS0113

Petri Dish & Accessory
Transport swab, wooden/plastic stick,
13×150mm, PP tube
Without medium, bulk packing/individual packing
with Cary Blair / Stuart / Amies medium,
Irradiation sterile, individual peel pack




STPD01

Petri Dish & Accessory
Secretions test preprocessing device



PP01

Petri Dish & Accessory
Pasteur pipette, PE
Size: 0.2ml, L 60mm; 0.5ml, L 85/115/128mm;
1ml, L 140/145/150/160mm; 2ml, L 155mm;
3ml, L 155/160/180mm; 5ml, L 210mm;
10ml, L 300mm




SC0130

Stool & Urine Container
Stool container 30ml, no graduation, PS
Urine container 30ml, no graduation, PS



SC0240

Stool & Urine Container
Stool container 40ml, molded graduation, PP
Urine container 40ml, molded graduation, PP



SC0340

Stool & Urine Container
Urine container 40ml, screw cap, PP
Stool container 40ml, screw cap, PP



SC0440

Stool & Urine Container
Sputum container 40ml, screw cap, PP

Laboratory Consumable



SC0560

Stool & Urine Container
Urine container 60ml, molded graduation,
Stool container 60ml, molded graduation, PP




SC0660

Stool & Urine Container
Urine container 60ml, molded graduation,
with frosted area, PP
Stool container 60ml, molded graduation,
with frosted area, PP



SC0760

Stool & Urine Container
Urine container 60ml, PP
Stool container 60ml, PP




SC0815

Stool & Urine Container
Specimen cup 15ml, cap is optional, PP




SC0940

Stool & Urine Container
Urine container 40ml, PS
Stool container 40ml, PS



UC03120

Stool & Urine Container
Urine container 120ml, molded graduation, PP



MC0130

Stool & Urine Container
Medicine cup 30ml, PP



EC01PP


Embedding Cassette
Embedding cassette, square holes,
various color, POM, PP



EC02PP

Embedding Cassette
Embedding cassette, strip holes,
various color, POM, PP


Laboratory Consumable



EC03PP

Embedding Cassette


Embedding cassette, round holes,
Various color, POM, PP



EC04PP

Embedding Cassette

Embedding cassette, fine square holes,
various color, POM, PP



EC05PP

Embedding Cassette

Embedding cassette, "O" rings, various
color, POM, PP



PMMS01

Microscope Slides Accessory

Plastic mailer for microscope slides
Size: 5 place, cuboid type, hinged cap, PP



STMS01

Microscope Slides Accessory

Slides tray for microscope slides, 20 place, ABS



SSB01025

Microscope Slides Accessory

Slide storage box 25 place, ABS



SSB02050

Microscope Slides Accessory

Slide storage box 50 place, ABS



SSB03100

Microscope Slides Accessory

Slide storage box 100 place, ABS

Medical Disposable



OPG-017

Oxygen Pressure Gauge

Accuracy: 2.5
Pressure scope (Mpa): 0-0.25, 0-1.6, 0-25,
0-28, 0-31.5
Connector thread: 1/8NPT, 1/4NPT, M14X1.5



OPG-024

Oxygen Pressure Gauge

Accuracy: 2.5
Pressure scope (Mpa): 0-0.25, 0-1.6, 0-25,
0-28, 0-31.5
Connector thread: 1/8NPT, 1/4NPT, M14X1.5



OI-A3003

Oxygen Inhalers

Medium: O₂
Metering range(L/min): 1-10, 1.15
Accuracy: grade 4
Entrance pressure (Mpa): 0.35Mpa
Output connection screw thread: 8mm



OI-A3202H2

Oxygen Inhalers

Medium: O₂
Metering range(L/min): 1-10, 1-15
Accuracy: grade 4
Entrance pressure (Mpa): 0.35Mpa
Output connection screw thread: 8mm



OI-AC13

Oxygen Inhalers

The scale of this flowmeter is perpendicular to
the centerline of the pipe
The flow adjusting knob adjusts flow easily, no
oxygen output when the flow meter is turned off
The automatic discharge pressure of the safety
valve: 0.35±0.05Mpa
The range of flow: 0.2-10L/min
Cylinder connecting nut: G5/8 right hand
Piston pressure reducing structure
The flow adjusting knob adjusts flow easily, no
oxygen output when the flow meter is turned off
Bottle capacity is 150ml, with water level
indication



OI-88-1

Oxygen Inhalers

Input Pressure: 15Mpa
Output Pressure: 0.2-0.3Mpa
Automatic discharge pressure of the safety
valve: 0.35±0.05Mpa
The range of flow: 0.2-10L/min
Cylinder connecting nut: G5/8 right hand
Piston pressure reducing structure
The flow adjusting knob adjusts flow easily, no
oxygen output when the flow meter is turned off
Bottle capacity is 150ml, with water level
indication



OI-A35001

Oxygen Inhalers

The flow indication part of the buoy flow meter
is made of PC material
The scale of this flowmeter is perpendicular to
the centerline of the pipe
The flowmeter has a minimum dividing value of
1L/min
The flow adjusting knob adjusts flow easily,
no oxygen output when the flow meter is
turned off



OI-86-3

Oxygen Inhalers

Input Pressure: 15Mpa
Output Pressure: 0.2-0.3Mpa
Automatic discharge pressure of the safety
valve: 0.35±0.05Mpa
The range of flow: 1-15L/min
Cylinder connecting nut: G5/8 right hand
Piston pressure reducing structure
The flow adjusting knob adjusts flow easily, no
oxygen output when the flow meter is turned off
Bottle capacity is 150ml, with water level
indication

Medical Disposable



OI-87-5

Oxygen Inhalers
Input Pressure: 15Mpa
Output Pressure: 0.2-0.3Mpa
Automatic discharge pressure of the safety valve: 0.35±0.05Mpa
The range of flow: 1-15L/min
Cylinder connecting nut: G5/8 right hand
Diaphragm type pressure reducing structure
The flow adjusting knob adjusts flow easily, no oxygen output when the flow meter is turned off
Bottle capacity is 140ml, with water level indication



OI-0305

Oxygen Inhalers
The humidification bottle should be used in conjunction with an oxygen flow meter and the humidification cup should be filled with distilled water so that the oxygen is humidified for use by hypoxic patients
Medium: medical oxygen
Connection: 9/16UNF-18
Input pressure: 0.35Mpa
Bottle capacity: 200ml
Filter core: PE high density filter
Compressive strength: 0.45Mpa
Automatic discharge pressure of the safety valve: 0.4-0.6Mpa



OI-0306

Oxygen Inhalers
Connection: 9/16-18-RH
Volume: 200ml



OI-0318

Oxygen Inhalers
Connection: 9/16-18-RH
Volume: 150ml



HME0175

HME
Recommended tidal volume (ml): 75-1500
Moisture loss*(MG H2O/L air): 4.0 (@ Vt 500ml)
Resistance (PA): 15 at 30L/min



HME02150

HME
Recommended tidal volume(ml): 150-1500
Moisture loss*(MG H2O/L air): 4.2 (@ Vt 500ml)
Resistance(PA): 15 at 30L/min



TH0175

Tracheal HME
Recommended tidal volume(ml): >75
Moisture loss*(MG H2O/L air): 9.2 (@ Vt 500ml)
Resistance(PA): 50 at 30L/min

Medical Disposable



TH0275

Bacterial Filter
Recommended tidal volume(ml): >75
Moisture loss*(MG H2O/L air): 9.0 (@ Vt 500ml)
Resistance (PA): 20 at 30L/min



TH0375

Bacterial Filter
Recommended tidal volume(ml): >75
Moisture loss*(MG H2O/L air): 9.0 (@ Vt 500ml)
Resistance (PA): 15 at 30L/min



BF0110

Bacterial Filter
Resistance (PA): 10 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999



BF0250

Bacterial Filter
Resistance (PA): 50 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999



BF0330

Bacterial Filter
Resistance (PA): 30 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999



HF0175

HME Filter
Recommended tidal volume(ml): 75-500
Moisture loss*(MG H2O/L air): 5.7 (@ Vt 500ml)
Resistance (PA): 50 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999



HF02150

HME Filter
Recommended tidal volume (ml): 150-1500
Moisture loss*(MG H2O/L air): 6.9 (@ Vt 500ml)
Resistance (PA): 50 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999



HF03150

HME Filter
Recommended tidal volume (ml): 150-1500
Moisture loss*(MG H2O/L air): 6.9 (@ Vt 500ml)
Resistance (PA): 50 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999



HF04150

HME Filter
Recommended tidal volume (ml): 150-1500
Moisture loss*(MG H2O/L air): 6.4 (@ Vt 500ml)
Resistance (PA): 80 at 30L/min
Bacterial filtration efficiency*(%): 99.999
Viral filtration efficiency*(%): 99.999

Medical Disposable



SF0112

Spirometer Filter
Machine I.D. (mm): 45.5
Machine O.D. (mm): 48
Patient O.D. (mm): 29.5
Resistance (PA): 12 at 30L/min
Bacterial filtration efficiency*(%): 99.999



SF0215

Spirometer Filter
Machine I.D. (mm): 30.5
Machine O.D. (mm): 33.5
Patient I.D. (mm): 26.5
Patient O.D. (mm): 29.5
Resistance (PA): 15 at 30L/min
Bacterial filtration efficiency*(%): 99.999



SF0310

Spirometer Filter
Machine I.D. (mm): 25.5, 29.5
Machine O.D. (mm): 28.5, 32.5
Patient I.D. (mm): 29.5
Patient O.D. (mm): 29.5
Resistance (PA): 10 at 30L/min
Bacterial filtration efficiency*(%): 99.999



SF0415

Spirometer Filter
Machine I.D. (mm): 28.5, 29.5, 30.0, 30.5
Machine O.D. (mm): 30.0, 31.5, 32.0, 32.5
Patient I.D. (mm): 25.5
Patient O.D. (mm): 29.5
Resistance (PA): 15 at 30L/min
Bacterial filtration efficiency*(%): 99.999



SF0510

Spirometer Filter
Machine I.D. (mm): 30.5
Machine O.D. (mm): 33.5
Patient I.D. (mm): 25.5
Patient O.D. (mm): 29.5
Resistance (PA): 10 at 30L/min
Bacterial filtration efficiency*(%): 99.999



MP01295

Mouth Piece
Dimension (mm): ID 29.5, H 53.5
ID 29.5, H 53.3; ID 30.5, H 52.7
ID 25.5, H 53.5; ID 30, H 60
ID 25.5, H 66



CC0104

Anesthesia Breathing Circuit
Coaxial circuit
1.5m circuit, 0.4m corrugated limb
1.8m circuit, 0.4m corrugated limb
1.5m circuit, 0.4m extendable limb
1.8m circuit, 0.4m extendable limb



CC0204

Anesthesia Breathing Circuit
Coaxial circuit, 2L/3L reservoir bag
1.5m circuit, 0.4m corrugated limb, 2L/3L bag
1.8m circuit, 0.4m corrugated limb, 2L/3L bag
1.5m circuit, 0.4m extendable limb, 2L/3L bag
1.8m circuit, 0.4m extendable limb, 2L/3L bag



DLC0104

Anesthesia Breathing Circuit
Duo limb circuit
1.5m circuit, 0.4m corrugated limb
1.8m circuit, 0.4m corrugated limb
1.5m circuit, 0.4m extendable limb
1.8m circuit, 0.4m extendable limb

Medical Disposable



PBC0104

Anesthesia Breathing Circuit
Pediatric breathing circuit, 2 pediatric traps, 0.4m limb
1.5m circuit, 0.4m corrugated limb
1.8m circuit, 0.4m corrugated limb
1.5m circuit, 0.4m extendable limb
1.8m circuit, 0.4m extendable limb



PBC0204

Anesthesia Breathing Circuit
Pediatric breathing circuit, 0.4m limb, 2 pediatric traps, 0.15m catheter mount
1.5m circuit, 0.4m corrugated limb
1.8m circuit, 0.4m corrugated limb
1.5m circuit, 0.4m extendable limb
1.8m circuit, 0.4m extendable limb



ABC0104

Anesthesia Breathing Circuit
Adult breathing circuit, 2 adult traps, 0.4m limb
1.5m circuit, 0.4m corrugated limb
1.8m circuit, 0.4m corrugated limb
1.5m circuit, 0.4m extendable limb
1.8m circuit, 0.4m extendable limb



ABC0204

Anesthesia Breathing Circuit
Adult breathing circuit, 0.4m limb, 2 adult traps, 0.15m catheter mount
1.5m circuit, 0.4m corrugated limb
1.8m circuit, 0.4m corrugated limb
1.5m circuit, 0.4m extendable limb
1.8m circuit, 0.4m extendable limb



ABC0304

Anesthesia Breathing Circuit
Adult non-invasive breathing circuit, 0.4/0.8m limb, adult water traps, sampling tube, clip
1.5m circuit, 0.4/0.8m corrugated limb
1.8m circuit, 0.4/0.8m corrugated limb
1.5m circuit, 0.4/0.8m smoothable limb
1.8m circuit, 0.4/0.8m smoothable limb



ACM0101

Circuit Accessory
Anesthesia catheter mounts
Type: corrugated, extendable, smoothbore
Length (m): 0.10, 0.15, 0.20



CL0104

Circuit Accessory
Corrugated limb
Adult, pediatric
Length (m): 0.4, 0.8, 1.2, 1.5, 1.8



EL0104

Circuit Accessory
Extendable limb
Adult, pediatric
Length (m): 0.4, 0.8, 1.2, 1.5, 1.8



SL104

Circuit Accessory
Smoothbore limb
Adult, pediatric
Length (m): 0.4, 0.8, 1.2, 1.5, 1.8

Medical Disposable



RB0105

Circuit Accessory

Reservoir bags
Material: latex, latex-free
Size (L): 0.5, 1, 2, 3



WT0101

Circuit Accessory

Water traps
Adult, pediatric



CPR0101

CPR Mask

Case color: white, orange, blue



AM0115

Anesthesia Mask

Anesthesia mask A - gas valve up
Connector size (mm): 15, 22
Color: orange, red, blue, green



AM0215

Anesthesia Mask

Anesthesia mask A - gas valve horizontal
Connector size (mm): 15, 22
Color: white, pink, yellow, brown, orange, red, blue, green



DN0101

Disposable Nebulizer

Size: S, M, L, mouthpiece



OM0107

Oxygen Mask

Size: XL adult, L adult small, M pediatric, S infant
Tubing length: 7ft/no tubing



HCOM0107

Oxygen Mask

High concentration oxygen mask
Size: XL adult, L adult small, M pediatric, S infant
Tubing length: 7ft



VM0107

Laryngoscope & Airway Device

Size: XL adult, L adult small, M pediatric, S infant
Tubing length: 7ft

Medical Disposable



LMA0120

Laryngoscope & Airway Device


Laryngeal mask airways
Material: PVC, silicone
ID (mm): 2.0, 2.5, 3.0, 4.0



GA0140

Laryngoscope & Airway Device

Guedel airway
Size (mm): 40, 50, 60, 70, 80, 90, 100, 110, 120
Color: various colors



ET0145

Laryngoscope & Airway Device

Endotracheal tubes
Reinforced (with reinforced wire, one cavity)
ID (mm): 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0
Standard (with cuff, one cavity)
ID (mm): 4.5, 5.0, 5.5



DL0195

Laryngoscope & Airway Device

Disposable laryngoscopes
LED/fiber-optic
Curved (mm): 95, 125, 140, 160
Straight (mm): 75, 100, 130



CSC0106

Closed Suction Catheter

Model A/D
24 hours/72 hours
Pediatric (length 450mm): 6 Fr, ID 2.0mm
8 Fr, ID 2.6mm
Adult (length 600mm): 10 Fr, ID 3.3mm
12 Fr, ID 4.0mm; 14 Fr, ID 4.7mm;
16 Fr, ID 5.3mm



SNC0105

Nasal Cannula

Standard nasal cannula
Size: adult/pediatric/infant/neonate
Tubing Length (ft): 7/10/14/25/50
Tubing OD: 5mm
Lariat: standard
Nasal prong: straight/flared
Standard connector



SNC0205

Nasal Cannula

Soft nasal cannula
Size: adult/pediatric/infant/neonate
Tubing length (ft): 7/10/14/25/50
Tubing OD: 5mm
Lariat: standard
Nasal prong: straight/flared
Standard connector



ENC0105

Nasal Cannula

Enlarged nasal cannula
Size: adult/pediatric/infant
Tubing length (ft): 7
Tubing OD: 5mm
Lariat: standard/soft
Nasal prong: enlarged
Standard connector



HFNC0106

Nasal Cannula

High flow nasal cannula
Size: adult/pediatric/infant
Tubing length (ft): 7/10/14/25/50
Tubing OD: 6mm
Lariat: standard
Nasal prong: high flow
Standard connector

Medical Disposable



GSL0104

Gas Sampling Line
Tubing length (feet): 4ft/7ft/10ft/15ft
Luer connector: male+female/2 male



SCT0101

Straight Connectors



3WC0101

3-Ways Connectors
15F/22M, 15M(for pediatric) 22M(for adult)



EC0101

Elbow Connectors
15F/22M, 15M(for adult)



Medical Disposable



A1F

Fiberglass Bandages

Stretchable synthetic that adapts to the contours
When exposed to water it must change its composition
to rigid
Size: 2#, 5.0×360cm
3#, 7.5×360cm
4#, 10×360cm
5#, 12.5×360cm
6#, 15×360cm



A1

Skin Color High Elastic Bandage

Material: 70% polyester, 30% rubber/90% polyester,
10% spandex
Weight GSM: 90g, 100g, 110g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's
request



A-1

Natural Color Elastic Crepe Bandage

Material: 80% cotton, 20% spandex
Weight GSM: 60g, 70g, 75g, 80g, 90g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 3.6m, 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's
request



A-2

Skin Color Elastic Crepe Bandage

Material: 80% cotton, 20% spandex
Weight GSM: 70g, 75g, 80g, 90g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's
request

Medical Disposable



A-3

Bleached Elastic Crepe Bandage
Material: 80% cotton, 20% spandex
Weight GSM: 70g, 75g, 80g, 90g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



A-4

Red (Blue) Line Elastic Crepe Bandage
Material: 80% cotton, 20% spandex
Weight GSM: 75g, 80g, 85g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request

Medical Disposable



B3

Blue Line High Elastic Bandage
Material: 50% cotton, 20% polyester, 30% rubber
Weight GSM: 90g, 100g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



B-1

Natural (Bleached) Plain Elastic Crepe Bandage
Material: 55% pure cotton, 45% spandex
Weight GSM: 70g, 80g, 85g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



B1

High Elastic Bandage
Material: 85% polyester, 15% rubber
Weight GSM: 85g, 90g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



B2

High Elastic Bandage
Material: 75% polyester, 25% rubber/90% polyester, 10% spandex
Weight GSM: 85g, 90g, 100g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



B-2

Skin Color Elastic Bandage
Material: 55% cotton, 45% spandex
Weight GSM: 70g, 80g, 90g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



C-1

PBT Bandage
Material: 45% viscose, 55% polyester with woven edges
Weight GSM: 28g, 30gg
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request

Medical Disposable



C-6

Elastic Bandage (Thick PBT Bandage)

Material: 55% cotton, 45% polyester with woven edges
Weight GSM: 55g, 60g, etc
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 6, 7.5, 8, 10, 12, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



F1

Skin Color High Elastic Bandage

Material: 57% cotton, 26.5% polyester, 16.5% rubber
Weight GSM: 70g, 80g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 3.2m, 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



F-1

(POP) Plaster Of Paris Bandage

Material: cotton and plaster of Paris
Color: white
Solidifying time: 2 to 5 minutes
Size: length (stretched): 2m, 2.7m, 3m, 3.6m, 4m, 4.6m, 5m
Width(cm): 5, 7.5, 10, 12.5, 15, 20, 30
Basic packing: individually packed in waterproof bag
Note: personalized specifications as possible at customer's request



F-2

Orthopedic Bandage (Cast Padding)

Material: 100% cotton, 100% polyester, 50% viscose, 50% polyester
Color: white
Weight GSM: 70g, 80g, 90g, 100g, etc.
Size: length (stretched): 2.7m, 3m, 4m, 4.6m, 5m
Width(cm): 5, 7.5, 10, 12.5, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request

Medical Disposable



J-1

First Aid Bandage

Sterile or non-sterile
Material: bandage and pad
Weight GSM: 70g, 80g
Bandage: conforming bandage or gauze bandage
Pad: low adherent dressing, cotton covered with gauze or non-woven
Size: bandage L×W(pad L×W) 6cm×4m(6×8cm); 8cm×4m(8×10cm); 10cm×4m(10×12cm); 12cm×5m(12×16cm) basic
Packing: individually packed in cellophane or paper package
Note: personalized specifications as possible at customer's request



K1

Purled High Elastic Bandage

Material: 55% KS Cotton, 20% polyester, 25% rubber
Weight GSM: 90g, 100g, 110g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15, 20
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



N1

Laced High Elastic Bandage

Material: 50% cotton, 10% spandex, 40% polyester
Weight GSM: 80g, 90g
Clip: with or without clips, elastic band clips, metal clips
Size: length (stretched): 4m, 4.5m, 5m
Width(cm): 5, 7.5, 10, 15
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request



CG01

Compressed Gauze (Medical Compressed Bandage)

Sterile crinkle cotton fluff bandage rolls
Material: 100% cotton cloth
Size: 4.5"**4.1YDS
6Plys, pure white color
Basic packing: individually packed in cellophane
Note: personalized specifications as possible at customer's request

Medical Disposable



J-3

Military Emergency (Israel) Bandage
Size: 10cm×4m, 15cm×4m, etc
Cotton pad size: 10cm×10cm, 10cm×12cm, 15cm×18cm
EO sterilization, vacuum package



Z-1

Collar & Cuff
Material: cotton, foam
Size: 5cm×6m, 7.5cm×6m
Package: 2 rolls/bag/box, 16 rolls/carton



JT01

Collar
Soft Collar
Size: S: 44×9cm, M: 48×10cm, L: 53×11cm



Z-2

Skin Traction Kit
Material: bandage and foam, belt and tape
Size: child, adult
Type: adhesive, non adhesive



PTP2510

PE Tape (Hot Melt)
Size: 2.5cm×5m, 2.5cm×9.14m, 5cm×5m, 5cm×9.14m, 7.5cm×5m, 7.5cm×9.14m, 10cm×5m, 10cm×9.14m



STP2510

Silk Tape (Hot Melt) (Zigzag Edge)
Size: 2.5cm×5m, 2.5cm×9.14m, 5cm×5m, 5cm×9.14m, 7.5cm×5m, 7.5cm×9.14m, 10cm×5m, 10cm×9.14m



NWTP2510

Non-woven Tape (Hot Melt)
Size: 2.5cm×5m, 2.5cm×9.14m, 5cm×5m, 5cm×9.14m, 7.5cm×5m, 7.5cm×9.14m, 10cm×5m, 10cm×9.14m



ZOTP01

Zinc Oxide Adhesive Cotton Tape (Plain Edge)
Size: 2.5cm×5m, 5cm×5m, 7.5cm×5m, 10cm×5m



ZOTP02

Zinc Oxide Adhesive Cotton Tape (Plain Edge)
Size: 2.5cm×5m, 5cm×5m, 7.5cm×5m, 10cm×5m

Medical Disposable



GZB01

Gauze Ball
100% cotton gauze fabric
With or without x-ray
Highly absorbent and softness, non toxic



GZS01

Gauze Swabs
Pure 100% cotton high absorbency softness edge folded / non edge folded
With or without x-ray
Yarn: 40's/ 40's, 32's/ 32's, 21's/ 21's
Mesh: 20×12, 19×15, 24×20, 28×24, 30×20
Size available: 2×2, 3×3, 4×4, 4×8



GZBD01

Super Gauze Roll Bandage / Krinkle Gauze Roll Bandage
100% cotton gauze fabric
Yarn: 40's×40's
Mesh: 12×8, 18×10
Size available: 4×4.1y-6ply (10cm×3.75m), 7×6y-4ply (17.5cm×5.4m), 2×5y-2ply (5cm×4.5m)
3×5y-2ply (7.5cm×4.5m), 4×5y-2ply (10cm×4.5m)



WC01NW

Wound Care Product
Non-woven wound dressing
Main material: non-woven
Size: 4.4×4.4cm, 5×7.5cm, 6×7cm, 7.5×7.5cm, 6×10cm, 10×10cm, 10×15cm, 10×20cm, 10×30cm



WC02CS

Wound Care Product
Wound closure strips
Main material: non-woven
Size: 3×75mm, 6×38mm, 6×75mm, 6×10mm, 12×100mm



WC03EP

Wound Care Product
Adhesive eye patches
Main material: non-woven
Size: 5×7.5cm, 7×9cm



WC04BB

Wound Care Product
Blister bandages
Main material: PU+hydrocolloid
Size: 20×60mm, 17×60mm, 68×28mm, 42×62mm, 55×37mm, 44×69mm



WC05ID

Wound Care Product
IV dressing
Main material: PU
Size: 4.4×4.4cm, 5×7.5cm, 6×7cm, 7×8.5cm, 10×11.5cm, 8.5×10.5cm, 10×12cm



WC06ID

Wound Care Product
IV dressing
Main material: non-woven
Size: 6×8cm

Medical Disposable



WC07HD

Wound Care Product

Hydrocolloid adhesive dressing
Main material: PU+hydrocolloid
Size: 14×18cm



WC08HD

Wound Care Product


Hydrocolloid adhesive dressing
Main material: PU+hydrocolloid
Size: 15×18cm



WC09HD

Wound Care Product


Hydrocolloid adhesive dressing
Main material: PU+hydrocolloid
Size: 5×5cm, 10×10cm, 15×15cm, 20×20cm



WC10SF

Wound Care Product

Silicone foam dressing
Main material: PU+silicone
Size: 5×5cm, 10×10cm, 15×15cm



WC11HP

Wound Care Product

Hydrocolloid acne patches
Main material: PU+hydrocolloid
Size: 24pcs/sheet (9×12mm+5×10mm+10×7mm)
36pcs/sheet (24×8mm+12×12mm)



WC12SF

Wound Care Product

Silicone foam dressing
Main material: PU+silicone
Size: 7.5×7.5cm, 10×10cm, 15×15cm



WC13CT

Wound Care Product

Cartoon wound plaster
Main material: PE
Size: 50×47mm



WC14CT

Wound Care Product

Cartoon wound plaster
Main material: PE
Size: 25×25mm



WC15CT

Wound Care Product

Cartoon wound plaster
Main material: PE
Size: 50×45mm

Medical Disposable



WC16BA

Wound Care Product

Elastic fabric band aid
Main material: elastic fabric
Size: D22mm, D25mm, 38×19mm, 40×10mm, 56×19mm, 45×51mm, 72×25mm, 76×19mm, 76×25mm, 76×38mm, 70×40mm, 76×45mm, 76×50mm, 50×100mm



WC17BA

Wound Care Product


PE band aid
Main material: PE
Size: D22mm, D25mm, 38×19mm, 40×10mm, 56×19mm, 45×51mm, 72×25mm, 76×19mm, 76×25mm, 76×38mm, 70×40mm, 76×45mm, 76×50mm, 50×100mm



WC18BA

Wound Care Product

Non-woven band aid
Main material: non-woven
Size: D22mm, D25mm, 38×19mm, 40×10mm, 56×19mm, 45×51mm, 72×25mm, 76×19mm, 76×25mm, 76×38mm, 70×40mm, 76×45mm, 76×50mm, 50×100mm



WC19BA

Wound Care Product

PU band aid
Main material: PU
Size: D22mm, D25mm, 38×19mm, 40×10mm, 56×19mm, 45×51mm, 72×25mm, 76×19mm, 76×25mm, 76×38mm, 70×40mm, 76×45mm, 76×50mm, 50×100mm



BS80175

Disposable Bedsheets

80×175cm with 48 threads
1 ply 23gsm paper and 1 ply 17gsm PE



BS100225

Disposable Bedsheets

100×225cm
1ply 17GSM paper and 1ply 13GSM PE
100×200cm
2ply 17GSM paper and 1ply 12GSM PE



PR5045

Paper Roll

Size: 50cm×50m, 50cm×60m, 50cm×100m, 45cm×38m, 45cm×68m
Color: blue, white, green



UP1760

Disposable Underpads

Size: 17"×24"(40×60cm), 23"×24"(60×60cm), 23"×36"(60×90cm), 30"×30"(75×75cm), 30"×36"(75×90cm), 60cm×90cm
Color: blue, white, green, pink

Medical Disposable



DPLC130

Non-woven Lab Coat
Material: SPP
Size: 130cm



DPST190

Non-woven Cover All
Material: SF
Size: 190cm



DPGN1214

Disposable Non-woven Isolation Gown
Material: SPP
Size: 120×140cm



DPST88160

Scrubs Suit
Material: SMS
Size: 88×70cm, 160×58cm



DPST190B

Non-woven Cover All
Material: SPP
Size: 190cm



DPSGN1214


Non-woven Surgical Gown
Material: SSMS
Size: 120×140cm

Medical Disposable



DPCP21

Mechanical Non-woven Cap
Material: SPP
Size: 21"



DPCP6214

Mechanical Non-woven Doctor Cap
Material: SPP
Size: 62×14cm



DPMCP21

Non-woven Muslim Cap
Material: SPP
Size: 21"



DPBC21

Non-woven Beard Cover (Ear Strap)
Material: SPP
Size: 21"



NG01

Disposable Nitrile Gloves
Size: small / medium / large
Color: blue, black, pink, violet



NG02

Disposable Latex Gloves
Size: small / medium / large
Color: white



KN9501

Particle Filtering Half Mask KN95
Size: 23×12cm
Color: white, black

Medical Disposable



MK01

Medical Surgical Mask Level 3
Size: 17.5×9.5cm
Color: blue, black



MK02

Medical Surgical Mask Type IIR
Size: 17.5×9.5cm
Color: blue, black



FS01

Disposable Face Shield
Main material: PET: 80%, sponge: 12%
Elastic strap: 8%
Size: 33×22cm



UD1000A

PE Urodochium
Size: 1000ml



UD1000B

PE Urodochium
Size: 1000ml



UD1000C

PE Urodochium
Size: 1000ml



UD1000D

PE Urodochium
Size: 1000ml



UD1000E

PE Urodochium
Size: 1000ml



UD800

PE Urodochium
Size: 800ml

Adult Diaper

Size:	M	L	XL
L×W:	650×800mm	750×900mm	800×1000mm
Fit waist size:	73-113cm	86-139cm	106-146cm



Adult Pull Up Pant

Size:	M	L	XL
L×W:	590×720mm	690×800mm	800×860mm
Fit waist size:	70-110cm	90-130cm	110-150cm

Baby Diaper

Model:	S	M	L	XL
Specifications:	390×325mm	440×325mm	490×325mm	540×325mm



Baby Pull Up Pant

Model:	L	XL	XXL
Specifications:	400×510mm	420×530mm	440×450mm

Medical Disposable



SM0102

Economy Urine Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with push-pull type valve, Tube length: 90cm



SM0103

Economy Urine Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with T-type valve, tube Length: 90cm



SM0904

Economy Urine Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with screw type valve, Tube length: 90cm with plastic hanging tape



SM0702

Luxury Urine Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with T-type valve, tube Length: 90cm or meet clients requirement



SM0201

Luxury Urine Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with T-type valve, tube Length: 90cm with sampling port



SM0202

Luxury Urine Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with T-type valve, tube Length: 90cm with sampling port



SM0302

Liquid Waste Bag
Standard: 1000ml, 2000ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: single tubing, Y-type, with two clamps



SM0901


Liquid Bag
Standard: 1000ml
1. Transparency
2. Material: medical grade PVC
3. Type: T-outlet, elbow inlet, two handles



SMLB750

Leg Bag
Standard: 750ml
1. Transparency or translucence
2. Material: medical grade PVC
3. Type: urine bag with push-pull type valve, Tube length: 90cm

Medical Disposable



FC820

1-Way Standard Foley Catheter

Specifications: 8-20Fr/Ch




FC610B

2-Way Pediatric Foley Catheter

Specifications: 6-10Fr/Ch


Balloon size/capacity: 3-5ml/cc



FC1220B

2-Way Standard Foley Catheter

Specifications: 12-20Fr/Ch,
Balloon size/capacity: 5-15ml/cc, 30ml/cc,




FC2226B

2-Way Standard Foley Catheter

Specifications: 22-26Fr/Ch

Balloon size/capacity: 30ml/cc



FC1626B

3-Way Standard Foley Catheter

Specifications: 16-26Fr/Ch

Balloon size/capacity: 30ml/cc, 50ml/cc




TNQ01

Elastic Band Tourniquet

Size: 2.0×35cm, 2.5×40cm, 2.5×45cm

Color: blue, red, green, pink




TNQ02

TPE Tourniquet

Size: 2.0×35cm, 2.5×45cm

Color: blue, orange



TNQ03

Elastic Band Tourniquet

Size: 2.0×35cm, 2.5×40cm, 2.5×45cm

Color: blue, red, green, pink



TNQ04

Elastic Band Tourniquet

Size: 2.5×35cm, 2.5×40cm

Color: blue, red, green, pink

Medical Disposable



S01046

Shaver

Dimensions (L×W×H): 102×41.2×18mm

Net weight: 4.6g

Material: handle (HIPS)+safe cover (PP)

Blade: double stainless steel blades, or single stainless blade

Color: customized



S05675

Shaver

Dimensions (L×W×H): 67.5×41×11mm

Material: handle (HIPS)+security protective cover (HIPS)

Color: customized



S07011


Shaver

Dimensions (L×W×H): 103×46.5×26.5mm

Net weight: 11g

Material: handle (HIPS)+security protective cover (HIPS)

Color: customized



S08044


Shaver

Dimensions (L×W×H): 98.6×41×17.5mm

Net weight: 4.4g

Material: handle (HIPS)+security protective cover (PP)

Color: customized



S09044

Shaver

Dimensions (L×W×H): 98.6×41×17.5mm

Net weight: 4.4g

Material: handle (HIPS)+security protective cover (PP)

Color: customized



S10140

Shaver

Dimensions (L×W×H): 103×47×24.5mm

Net weight: 13.7g

Material: handle (HIPS)+security protective cover (PP)

Color: customized

Medical Disposable



S11044

Shaver

Dimensions (LxWxH): 98.6x41x17.5mm

Net Weight: 4.4g

Material: handle (HIPS)

Security protective cover (PP)

Color: customized



SBLD01

Disposable Carbon Steel Surgical Blades

Specifications: 10#, 11#, 12#, 13#, 15#, 18#, 20#, 21#, 22#, 23#, 24#, 25#



S12KIT

Shaving Prep Kit

Including:

1pc of razor

2pcs of cotton ball

1pc of alcohol cotton ball

1pc of sponge


2pcs of 4" gauze swab

1pc of plastic forceps



SS01

Single Use Skin Staplers



SS02

Single Use Skin Staplers

Sutures



POLYGLYCOLICACID (Violet or Undyed)

Needle type

● ▲ ▼ ◇ ▽ ○ 3/8 Circle 1/2 Circle

Product specification

2	75cm/45cm	40-50mm
1	75cm/45cm	40-50mm
0	75cm/45cm	35-45mm
2/0	75cm/45cm	25-35mm
3/0	75cm/45cm	19-30mm
4/0	75cm/45cm	17-25mm
5/0	75cm/45cm	13-20mm
6/0	75cm/45cm	13-20mm
7/0	45cm	9-13mm
8/0	45cm	9-13mm



POLYGLYACTIN 910 (Violet or Undyed)

Needle type

● ▲ ▼ ◇ ▽ ○ 3/8 Circle 1/2 Circle

Product specification

2	75cm/45cm	40-50mm
1	75cm/45cm	40-50mm
0	75cm/45cm	35-45mm
2/0	75cm/45cm	25-35mm
3/0	75cm/45cm	19-30mm
4/0	75cm/45cm	17-25mm
5/0	75cm/45cm	13-20mm
6/0	75cm/45cm	13-20mm



Needle type



Medical Disposable



INTND01

Disposable Intravenous Needle



INTND02

Disposable Intravenous Needle



INTND03

Disposable Intravenous Needle



INTND04

Disposable Intravenous Needle

Metric size (mm): 0.45, 0.5, 0.55, 0.6, 0.7, 0.8, 0.9, 1.2

Nominal length: 6-50mm, divide one

specification for each 1mm



INJND01

Disposable Injection Needle

Metric size (mm): 0.3, 0.33, 0.36, 0.4, 0.45, 0.5, 0.55, 0.6, 0.7, 0.8, 0.9, 1.1, 1.2

Nominal length: 6-50mm, divide one

specification for each 1mm



INJND02

Disposable Injection Needle

Screw

Size: 3ml, 5ml, 10ml, 20ml, 60ml



INJND03

Disposable Injection Needle

Straight

Size: 1ml, 3ml, 5ml, 10ml, 20ml, 50ml

Rehabilitation Appliance



WC123

Aluminum Wheelchair

Powder coating steel frame, adjustable arm-rest pad, detachable armrest, detachable foot-rest, angle-adjustable backrest, rubber foam castor and drive rear wheel, with safety lamps, lead acid battery



WC205LHQ

Aluminum Wheelchair

Aluminum chair frame, detachable foot-rest, solid castor, locking drum brake, anti-tippers, carrying wheel, quick release pneumatic rear wheel, anti-tippers and carrying wheel, angle-adjustable footplate, flip-up and height-adjustable inclined arm-rest



WC959LQ

Aluminum Wheelchair

Aluminum chair frame, detachable foot-rest, PU castor, quick release pneumatic rear wheel, anti-tippers and carrying wheel, angle-adjustable footplate, flip-up and height-adjustable inclined arm-rest



WC952LCO

Aluminum Wheelchair

Aluminum frame, flip-up and height adjustable arm-rest, quick release pneumatic rear wheel, elevating foot-rest, solid castor, anti-tippers



WC207LAPB

Aluminum Wheelchair

Aluminum chair frame, flip-up inclined arm-rest, detachable foot-rest solid castor, PU rear wheel, drop back handle



WC903LAJPQF9

Aluminum Wheelchair

Aluminum chair frame, drop back handle, flip-up arm-rest, with carrying wheel, detachable foot-rest, with united brake, solid castor, quick release PU rear wheel



WC908LAJPF21

Aluminum Wheelchair

Aluminum chair frame, drop back handle, flip-up arm-rest, detachable footrest, PU rear wheel, with united brake



WC692L

Aluminum Wheelchair

Aluminum chair frame, flip-up arm-rest, detachable foot-rest, rear wheel with lock, PU commode seat



WC807LAPB

Aluminum Wheelchair

Trans wheelchair, aluminum light-weight chair frame, 6" PU rear wheel, 5" solid castor, flip-up arm-rest, flip-up foot-rest, with drop back handle and seat belt

Rehabilitation Appliance



RL1002B

Rollator

Easily fold for convenient transport and storage
Height adjustable arms
Convenient storage bag under seat
Dual braking system-reducing fatigue and easy to hand brakes
Tool free assembly-easily assemble the rollator without the use of any tools
Material: aluminum frame
Product size: L54×W67×H83-96cm
Max weight: 136kg



RL3003C

Rollator

Built-in seat to sit and rest while you are tired
Under seat storage bag / basket provide extra space to keep belongings you liked
Ideal for the old/the injured to go walking or shopping
Dual braking system, easy to control
Height-adjustable front handle
Tool-free assembly, easy to set up
Lightweight and compact folding size suits for most vehicle
Product size: L49×W60×H78-88cm
Max weight: 136kg



RL3004D

Rollator

Built-in seat to sit and rest while you are tired
Under seat storage bag provide extra space to keep belongings you liked
Ideal for the old/the injured to go walking or shopping
Dual braking system, easy to control
Height-adjustable front handle
Tool-free assembly, easy to set up
Lightweight and compact folding size suits for most vehicle

Material: steel frame
Product size: L67×W56×H79-89cm
Max weight: 136kg



RL9003C

Rollator


Safe and durable: with its easy-grip handlebars and dual braking system, the walker is designed to keep you safe
Travel-friendly design: the knee walker is designed for indoor and outdoor use, allowing users to move anywhere
Light-weight & durable.
Foldable & height adjustable-steering column can be easily folded for transport and storage, the knee pad and handles can be adjusted to fit your height
Material: steel frame
Product size: L78×W43×H88-112cm
Max weight: 136kg

Rehabilitation Appliance



SC101A

Shower Chair
Aluminum frame
Height adjustable
Slip-resistant tips
HDE seat
Tool free set up
Product size: L32×W32×H36-54cm
Max weight: 136kg



SC103C

Shower Chair
The seat can be rotated 360 degrees, anti-slip particle seat plate, surface texture is clear
The edges of the seat are smooth and rounded to meet the needs of the position and increase safety
Press the button to easily adjust the height, suitable for people with different heights
Easy to install without any tools
Product size: L33×W33×H36-54cm
Max weight: 136kg



SC201A

Shower Chair
The aluminum frame is small and light-weight.
Ergonomic arc anti-skid wear seat plate is more comfortable
Seat with drainage hole, with shower head clip, can be placed at any time shower
Easy to install, suitable for all kinds of people
The height can be adjusted to meet the needs of different people
Product size: L52×W31×H38-54cm
Max weight: 136kg



SC3001A

Shower Chair
Drainage holes in the seat to reduce slipping and water pooling
Anti-slip tips on each leg for improved stability.
Durable aluminum frame and a polyethylene seat
Adjustable seat to fit different sized body
Shower head hole holds the shower when you using body wash
Light-weight and compact making it perfect for travel
Can hold up to 300 lbs
No tools required for assembly
Product size: L51×W31×H70-80cm
Max weight: 136kg



SC402B


Shower Chair
Waterproof thickened aluminum alloy, high bearing capacity, easy to use
Thickened and upgraded curved back-rest
The height of the feet can be adjusted, suitable for people with different heights
Arm-rest and back-rest provide higher comfort
It is suitable for pregnant women, the elderly and people with mobility difficulties
Height adjustable Slip-resistant tips
HDPE seat & backrest Tool free set up
Product size: L47.5×W33×H71-84cm
Max weight: 136kg



CC7002B

Commode Chair
With 4 wheels for easy push, easy to move and transport
With arm-rest and back-rest to provide user safer and more comfort
Multiple uses: can be used as a wheelchair, commode chair, mobile toilet at the bedside, shower chair, etc
3-in-1 Design:
1. Stand alone commode
2. Toilet safety frame
3. Raised toilet seat
Product size: L50×W64×H98cm
Max weight: 136kg

Rehabilitation Appliance



SST601A

Step Stool
1-step ladder, offer extra height
Extra wide pedal with non-slip surface offer you enough activity space
Anti-slip legs, keeps this ladder steady in working, ensure you and your family's safety
Suits for indoors/outdoors, reaching up high, cleaning, painting or carpentry, or even holding heavy thing, sitting
Easy to carry for its light-weight design
Sturdy and durable, metal frame with low-gravity-center design
Product size: L44×W31×H87cm
Max weight: 136kg



SR706F

Safety Rail
Waterproof and anti-slip
Rust resistant durable
Safe and stable
With storage bag, storage items more convenient
safely get in and out of bed and prevent falls
Quick installation in minutes without tools
Product size: L76×W36.8×H83-102cm
Max weight: 136kg



SR707G

Safety Rail
Fit all bed
Tool-free- easy to assemble
Support safety-prevent seniors from falling down
Non-slip & comfortable handle-bed assist bar
Padded with a soft, non-slip foam, the hand guard provides a comfortable and secure grip for getting in and out of bed safely
Product size: L84.5×W54×H69.5-102.5cm
Max weight: 136kg



SR708F

Safety Rail
Fit all bed
Tool-free- easy to assemble
Support safety-prevent seniors from falling down
Non-slip & comfortable handle-bed assist bar
Padded with a soft, non-slip foam, the hand guard provides a comfortable and secure grip for getting in and out of bed safely
Product size: L94×W52.5×H45.5-55.7cm
Max weight: 136kg

Rehabilitation Appliance / Hospital Furniture



WS940L

Walking Stick
Height: 80cm

WS9112L

Walking Stick
Height: 84cm

WS9242L

Walking Stick
Height: 85-100cm

WS9252L

Walking Stick
Height: 100-130cm

WS9281L

Walking Stick
Height: 75-98cm

WS9332L

Walking Stick
Height: 95-126cm

WS9411L

Walking Stick
Height: 75-95cm



WS925LA

Walking Stick
Height: 108-146cm

WS925LB

Walking Stick
Height: 112-143cm

WS938L

Walking Stick
Height: 77-100cm

WS925LC

Walking Stick
Height: 108-146cm

WS935S

Walking Stick
Height: 72-90cm

WS937L

Walking Stick
Height: 96-119cm



SCL01

Weight Scale
Capacity: 160kg (330lb)
Grad: 1kg (2lb)
Dimension: 28.5x42.5x8.5cm

SCL06

Weight Scale
Capacity: 160kg (350lb)
Grad: 1kg (2lb)
Dimension: 36x34.5x9.5cm

SCL2010B

Weight Scale
Capacity: 120kg (260lb)
Grad: 1kg (2lb)
Dimension: 28.5x29x6cm

Hospital Furniture



DBSH-20

Digital Baby Scale
Capacity: 20kg
Grad: 5g
With USB link
Use 4xAA batteries (not Included)
Use 4 high-precision load cells
Large LCD with blue back-Light
Dimension: 58x33.5x10.6cm

DBSL-20

Digital Baby Scale
Capacity: 20kg
Grad: 5g
Use 4xAA batteries (not Included)
Use 4 high-precision load cells
Large LCD display easy to read
Dimension: 60.3x38.5x10cm

SCL2053

Digital Scale
Capacity: 150kg (330lb)
Grad: 100g (0.2lb)
6mm tempered glass with 1pc of Cr2032 lithium battery included
Dimension: 30x30x2cm



SHMA

Scale With High Meter
Capacity: 200kg (440lb)
Grad: 100g (2lb)
Dimension: 62.8x37x220cm
With rechargeable battery
Function: weight, height, body fat, water, bone, muscle, calorie, BMI, temperature, humidity, PM2.5

SHM05L

Scale With High Meter
Capacity: 160kg
Grad: 1kg
Dimension: 32x50x98.5cm
Height meter: 60-210cm

F55605S

Three-fold Screen
Dimension: 8x68(x3)x178cm



Hospital Furniture



OL01-LED3AE

Shadowless Operating Lamp
Luminance: ≥120,000lux
Color temperature: 3500±200k, 4000±200k, 4500±200k, 5000±200k
Color reduction index (Ra): 96
Total irradiance: 127w/m²
Size of light field: 220-310mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 100VA
Total LED bulb quantity: 111pcs
ENDO: yes
Green ENDO: yes
Focus: manual



OL-L4S LED

Shadowless Operating Lamp
Luminance: ≥160,000lux
Color temperature: 3500±200k, 4000±300k, 4500±300k, 5000±300k
Color reduction index (Ra): Ra: 96, R9: 97, R13: 98
Total irradiance: 380w/m²
Size of light field: 120-250mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 115VA
Total LED bulb quantity: 112pcs
ENDO: yes
Green ENDO: yes
Focus: manual



OL02-LED5E

Shadowless Operating Lamp
Luminance: 150,000lux
Color temperature: 4800±300k
Color reduction index (Ra): 96
Total irradiance: 555w/m²
Size of light field: 10-240mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 100VA
Total LED bulb quantity: 65pcs
ENDO: yes
Green ENDO: no
Focus: manual



OL02-LED3+5

Shadowless Operating Lamp
Luminance: ≥120,000lux, ≥140,000lux
Color temperature: 3500±200k, 4000±200k, 4500±200k, 5000±200k
Color reduction index (Ra): 96
Total irradiance: 127w/m², 130w/m²
Size of light field: 220-310mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 140VA
Total LED bulb quantity: 295pcs
ENDO: yes
Green ENDO: yes
Focus: manual



OL700/500LED

Shadowless Operating Lamp
Luminance: ≥140,000lux, ≥160,000lux
Color temperature: 3800±500k, 4400±500k, 5000±500k
Color reduction index (Ra): 93
Total irradiance: 544w/m², 534w/m²
Size of light field: 250-300mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 270VA
Total LED bulb quantity: 180pcs(18x6+12x6)
ENDO: yes
Green ENDO: no
Focus: manual



OL-L3+4C LED

Shadowless Operating Lamp
Luminance: ≥140,000lux, ≥160,000lux
Color temperature: 3500±200k, 4000±200k, 4500±200k, 5000±200k
Color reduction index (Ra): Ra: 96, R9: 97, R13: 98
Total irradiance: 380w/m²
Size of light field: 120-250mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 230VA
Total LED bulb quantity: 187pcs
ENDO: yes
Green ENDO: yes
Focus: electrical

Hospital Furniture



OL02-5LED

Shadowless Operating Lamp
Luminance: ≥100,000lux
Color temperature: 4800±300k
Color reduction index (Ra): 92
Total irradiance: 480w/m²
Size of light field: 160-220mm
Luminance depth: 500mm
Power supply voltage: AC110-240V 50/60Hz
Lamp head diameter: 500mm
Best height of installation: 2300mm
Rated power of bulb: 3.2V/1W
Bulb: ≥50.000h
Total power consumption: 120VA



OL-SY320 320C LED

Shadowless Operating Lamp
Luminance: ≥110,000lux
Color temperature: 3800±300k, 4400±300k, 5000±300k
Color reduction index (Ra): Ra≥95, R9≥90
Total irradiance: 534w/m²
Size of light field: 110-190mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 180VA
Total LED bulb quantity: 37pcs
ENDO: yes
Green ENDO: no
Focus: electrical



OL-SY320C LED

Shadowless Operating Lamp
Luminance: ≥110,000lux
Color temperature: 3800±300k, 4400±300k, 5000±300k
Color reduction index (Ra): Ra≥95, R9≥90
Total irradiance: 330w/m²
Size of light field: 110-190mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 90VA
Total LED bulb quantity: 37pcs
Luminance depth: 1300mm
Focus: electrical



OL-280C LED

Shadowless Operating Lamp
Luminance: ≥50,000lux
Color temperature: 4000±500k
Color reduction index (Ra): 97
Total irradiance: 171w/m²
Size of light field: 150mm
Service life of illuminant: 50,000h
Power supply voltage: AC110-240V 50/60Hz
Total power consumption: 50VA
Total LED bulb quantity: 19pcs
Luminance depth: 1700mm



OT99

Electric Operating Table
Length and width for tabletop: 2070/550mm
Elevation (down/up): 700/1000mm
Trendelenburg/reverse trendelenburg: 25°/25°
Lateral tilt (left/right): 15°/15°
Head rest (up/down): 45°/90°
Footplate (up/down & horizontal positioning): 15°/90°/90°
Back plate (up/down): 75°/20°
Kidney bridge: 110mm
Longitudinal sliding: 300mm
Power: 220 50Hz 1.0kW



OT99A

Electric Operating Table
Length and width for tabletop: 2080/550mm
Elevation (down/up): 500/700mm
Head rest (up/down): 45°/90°
Footplate (up/down & horizontal positioning): 30°/30°
Back plate (up/down): 45°/20°
Longitudinal sliding: 300mm



OTF1007


Orthopedic Traction Frame
Length and width for tabletop: 1950/560-610mm
Elevation (down/up): 430mm



OTF1006

Orthopedic Traction Frame
Length and width for tabletop: 1950/540-610mm
Elevation (down/up): 250mm

Hospital Furniture



670-1

Trolley

Cold steel ambulance
The main body is made of cold steel, with
Four-inch sound-proof casters installed around
the bottom, two of which have brakes, two without brakes



600A1

Trolley

Cold steel ambulance
The main body is made of cold steel, with four-inch
sound-proof casters installed around the bottom, two of
which have brakes, two without brakes



CT780-1

Trolley

Clinic cart/trolley
mainly made of plastic, aluminum and steel
ABS top board, easy to clean, four columns



ET650

Trolley

Emergency cart/trolley
Mainly made of plastic, aluminum and steel
ABS top board, easy to clean, four columns

Hospital Furniture



YTJ00

Trolley


1. The configuration can increase gas springs mechanism. the lifting stroke was 250+10mm. the lifting load is greater than or equal to 12kg
2. Body height: 1145mm-1395mm
3. Working table height: 780mm-1030mm. Two table lifting control mode: it can not only be controlled by the foot pedal of the center of the base, but also can be controlled by the handle on the right side of the table top. So that it is convenient, flexible and arbitrary
4. The mesa is ABS engineering plastic. the size is 4900mm(l)×460mm(w). The middle panel can be embedded with stainless steel panel. It is both wearable and easy to clean, and the metal texture is strong. The middle of the table can be opened: it is easy to place mini mainframe or industrial control equipment, to meet the configuration of the host + display
5. The table display guide column: 386mm(l)×80mm(W)×64.5mm(H). Built-in constant lifting type lifting structure. Light-weight and convenient lifting rack. Display rack height adjustment range is 130mm. Rack can be tilted 20 degrees. The recommended configuration is less than or equal to 22 inch display or one machine, that load is less than or equal to 10kg



ITT780A1-A

Trolley

Transfusion cart/trolley
mainly made of plastic, aluminum and steel
ABS top board, easy to clean, four columns




ET680A

Emergency Cart / Trolley

Mainly made of plastic, aluminum and steel
ABS top board, easy to clean, four columns

Emergency First Aid



IMB-CC001D

PE Cervical Collar

1, This neck immobilizer is soft and comfortable, and can be fast fixed
2, It is made of soft materials, and its surface is vinyl, which can prevent bacterial infection and is against ingress of liquid
3, Made of special materials, allowing X-ray, CAT and MRI scan.
Product Size (LxWxH):
L: 51x10x1cm
M: 56x16x0.5cm
S: 52x14x0.5cm

IMB-CC001B


PE Cervical Collar

Made of special materials, allowing X-ray, CAT and MRI scan
Product size: (LxWxH): 54x13x0.5cm

IMB-FA001A

NBR Head Immobilizer

The head immobilization are made of high-density plastic, both sides have an ear hole
It can be used simultaneously with a scoop stretcher or PE stretcher
Waterproof plastic coating makes it easy to clean and prevents bacterial growth on it.
Product Size (LxWxH): 40x26x16cm



IMB-FS02

Fracture Fixation Splint

Multi-functional nursing splints can be used simultaneously on four limbs
The splints include: adult arm splint, adult leg splint, shoulder immobilizer, child arm splint, child leg splint, straps, and a carrying case
X-ray translucent and CT scan compatible
It is mainly made of harmless EVA material



STC-F002X

Foldaway Stretcher

It is the ideal product for mass casualty and catastrophic situations
Constructed of aluminum alloy, it conveniently and quickly deploys onto the rescue scene to accommodate multiple victims
Once finished, it conveniently stacks onto itself to provide the most compact storage available
The PVC cover is durable, fire retardant, and resistant to blood and bodily fluids
Product Size (LxWxH): 217x53x14cm
Foldaway (LxWxH): 107x17x10cm
Net weight: 6kg
Load limit: 159kg



STC-F003

Foldaway Stretcher

It is the ideal product for mass casualty and catastrophic situations
Constructed of aluminum alloy, it conveniently and quickly deploys onto the rescue scene to accommodate multiple victims
Once finished, it conveniently stacks onto itself to provide the most compact storage available
The PVC cover is durable, fire retardant, and resistant to blood and bodily fluids
Product Size (LxWxH): 180x50x18cm
Net weight: 5kg
Load limit: 159kg


Emergency First Aid



STC-BS001

Basket Stretcher

The stretcher is for a very wide range of special emergency situations, such as in the mountains, air and at sea
It is sturdy and flexible to use, its quick reliable fittings enable first-aid person to operate it rapidly and safely.
With its special sling equipment, the stretcher is ideal for lifted and transported by helicopter
It has an adjustable feet-securing mechanism, two safety belts and a mattress
The basket stretcher is made of stainless steel tube and net, it will not rust and potentially cause additional harm to the patient
It is stronger than common basket stretcher
It can be used together with the Spine Boards, into two parts, easy to carrying and storage
Product Size (LxWxH): 219x69x19cm
Net weight: 17kg
Load limit: 159kg



STC-SC003

Scoop Stretcher

It's a separable type scoop stretcher for ambulance to transfer fractured & serious patients
Equipped with a clutch hinge in the middle of both ends, which can separate the stretcher into two parts
The stretcher could strengthen the patients at origin place which could reduce the further hurt to the patients
The patient can be quickly & easily put in the stretcher and also the stretcher can be taken out from the back of patient without moving the patient
The length of the stretcher can be adjusted according to patient's body.
The foot-end is designed as a narrow-frame structure
It is made of high-strength stainless steel, aluminum alloy and PE materials.
It is characterized by its being light-weighted, small-sized, easy-carried, use-safely and easy for sterilization and clean
It's mainly used for hospitals, sports, ambulance and battle fields carrying patients and wounded persons
Product Size (LxWxH): 210x44x7cm
Foldaway (LxWxH): 120x44x9cm
Net weight: 8kg
Load limit: 180kg



STC-ST02

Stair Stretcher

The stretcher is mainly used for high building's lift carrying patients and wounded persons
The stretcher can be folded and the stretcher structure could get smaller
It has two wheels
The back of the stretcher designed with two folded handles
Under the front of the stretcher with two flexible uplift rod
The stretcher with belts to approve the patient's safety during transport process
It is made of high-strength aluminum alloy materials. It is characterized by its being light, small-sized, easy-carried, use-safely and easy for sterilization and clean
The size of castor: Φ125mm
Product Size (LxWxH): 78x52x134cm
Foldaway (LxWxH): 78x52x22cm
Net weight: 9kg
Load limit: 159kg



STC-ST09

Stair Stretcher

The stretcher is mainly used for high building's carrying patients and wounded person downstairs
It is mainly made of track transmission structure to transfer patients
Only need one person to operate this stretcher
The stretcher with two pieces of belts approves the patient's safety during transport process
It is made of high strength aluminum alloy materials
It is characterized by its being light, small-sized, easy-carried, use-safely and easy for sterilization and clean
The size of castor: Φ150/50mm
Product Size (LxWxH): 90x51x91cm
Foldaway (LxWxH): 90x59x17cm
Net weight: 8.2kg
Load limit: 159kg

Emergency First Aid



STC-SS005

Ambulance Stretcher

The bed surface of the stretcher is made of foamed cushion, the back-rest is adjustable which makes the wounded feel comfortable. The machine employs low frame structure, so it can move on the ground and also can be lifted as a stretcher

The both ends of the stretcher have opening circles which are used for transporting the patients

It is made of stainless steel materials

It's mainly used for hospitals, sports, ambulance and city roads carrying patients and wounded personnel

The stretcher is suitable for the ambulances which the wheel height is less than 26cm

The size of castor: Φ125mm

Maximum angle of the back: 60°

Product Size: 195×56×48cm

Self-weight: 19kg

Load limit: 180kg



STC-AL001

Ambulance Stretcher

The bed surface of the stretcher is made of waterproof foamed cushion, the back is adjustable which makes the wounded feel comfortable

The mechanical folding legs are controlled by the handles on both sides

The stretcher can be locked up after being aboard through the chute

The stretcher can be arbitrarily adjusted by pneumatic spring, it can converted into a chair

It is made of high-strength aluminum alloy materials

It is characterized by its being anti-corrosion, use-safely and easy for sterilization and clean

It is mainly used in limited space transporting patients, such as lift in hospital, ambulance, city road etc

The size of castor: Φ125mm

Maximum angle of the back: 60°

Product Size: 195×56×86cm

Foldaway: 195×56×25cm

Self-weight: 30kg

Load limit: 180kg



STC-SS002B

Ambulance Stretcher

The electric-powered loading stretcher adopts patented frame structure, good appearance and large capacity

Sensitive lifting and lowering with infinite height adjustment, it takes only 10s to go up to the highest position and another 10s to go down

It has the possibility of enlargement and shortening to easily going through small area (like in the elevators)

Telescoping range is 0-400mm

Adjustable back-rest is 0-85°

It is more safe and fast to transfer incubator

Maximum angle of the back: 60°

Product size (L×W×H): 197×58×112cm

Foldaway (L×W×H): 197×58×35cm

Net weight: 70kg

Load limit: 160kg



STC-AL003

Ambulance Stretcher

The product is made of high quality aluminum alloy material, with the foam mattress, easy to clean and disinfect

The back can be adjustable

At least needs two people carry the stretcher into the ambulance

Two sides railings can help reduce the intensity for the operators

With the fixture, can lock the stretcher inside the ambulance

Maximum angle of the back: 60°

Product size: 195×55×48cm

Self-weight: 27kg

Load limit: 159kg

Emergency First Aid



STC-SS003

Ambulance Stretcher

The level height of the stretcher can be adjusted. The under carrier and the top stretcher can be separated, used in different rescue spot

Gas-assist back-rest is adjustable

Anodized main frame

Φ150mm swivel wheels and the rotating direction can be fixed.

Trendelenburg position by adjusting foot part

Maximum angle of the back: 70°

Product size (L×W×H): 200×56×89cm

Foldaway (L×W×H): 204×56×28cm

Net weight: 40kg

Load limit: 250kg



EB-ET04

Emergency Bed

The emergency bed is mainly made of steel and aluminum material. The bed uses folding handles which is convenient for transporting

This stretcher adopts hydraulic lifting mechanism, and the backrest angle is adjusted by gas spring

The whole height, backward and forward leaning angle of the bed are all controlled by hydraulic control

This stretcher is equipped with central control brake device. It is safe to use

The universal wheels can be adjusted in three positions: the first position: go straight. the second position: universal, the third position: locked

Size of the castors: Φ200mm

Max angle of the back: 75°

High position: 193×67×85cm

Low position: 193×67×51cm

Self-weight: 70kg

Load limit: 250kg



EB-ET06

Emergency Bed

It is a manual connecting transfer trolley can defend the infection

Wheel size: Φ150mm

Maximum angle of the back: 75°

High position: 193×67×85cm

Low position: 193×67×51cm

Load limit: 300kg



EB-ET02

Emergency Bed

The emergency bed is mainly made of steel and plastic material. This stretcher adopts hydraulic lifting mechanism, it uses folding handles which is convenient for transporting, and the backrest

angle is adjusted by gas spring

The whole height, backward and forward leaning angle of the bed are all controlled by hydraulic control

The bed has weighting function, and can send alarm when the patient leave the bed

This stretcher is equipped with central control brake device

It is safe to use

The universal wheels can be adjusted in three positions: the first position: go straight, the second position: universal, the third position: locked

Wheel size: Φ200mm

Maximum angle of the back: 75°

High position: 215×75×90cm

Low position: 215×75×60cm

Load limit: 250kg

Emergency First Aid



EB-1C

Connectiong Transfer Stretcher for Operation Room

Manual stretcher, used to prevent cross-infection between operation room and other areas
Cart A inside the operation room, B outside
Adjust them to the same height, then push cart B to A, two carts will be connected automatically, following the orbit part C can be pushed from A to B, vice versa
Connected size: 3870×840mm
Height (Bed C - Ground): 660-910mm
Back rest: 0-85°±5°
Size of bed C: 1906×610 mm
Drop-down side rail, PP material
Net weight: 139kg
Gross weight: 170kg
Load capacity: 175kg
Including: mattress, IV pole

EB-6C

Manual Transfer Stretcher

- Turn the crank to adjust height. Turn clockwise, the bed board will go up. Turn anticlockwise, the bed board will go down
- Clear arrow symbols to instruct the user to operate
- Central lockable 360° swivel castors (Dia. 150mm). Retractable 5th wheel provides effortless directional movement and cornering
- The patient on the bed board can be transferred directly to the bed or operation table by turning the crank
- Specifications:
Overall Size: 2310×640mm (L×W)
Height range (bed board to ground): 850-590mm
Bed board : 1880×555mm(L×W)
Horizontal movement range (bed board): 0-400mm
- Aluminum alloy rotary side rails can be laid out on a bed positioned next to the stretcher to act as a transfer board for easy and quick transfer
- Net weight: 92kg
- Standard accessory: IV pole

Emergency First Aid



EB-4C-A

Manual Transfer Stretcher

- A transfer stretcher with double hydraulic systems. Functions operated by treading the foot pedals at both sides
- Clear arrow symbols to instruct the user to operate
- Central lockable 360° swivel castors (Dia. 150mm). Retractable 5th wheel provides effortless directional movement and cornering
- Push handles helps caregivers move the stretcher easily
- Multi-functional rotary PP side rails can be laid out on a bed positioned next to the stretcher to act as a transfer board for easy and quick transfer
- Fixable at horizontal level, where patient's arm can be placed on for the administration of IV or other treatment
- Specifications:
Overall size: 2190×825mm (L×W)
Height range (bed board to ground): 640-867mm
Bed board : 1952×633mm (L×W)
Back-rest: 0-68°
Knee gatch: 0-53°
Trendelenburg./Rev. Trendelenburg: 0-12°
Net weight: 112kg
Standard accessory: IV pole

EB-5CB

Hydarulic Transfer Stretcher

- A transfer stretcher with hydraulic systems. Height is adjusted by stepping the foot pedals at both sides. Back-rest is adjusted by gas spring Trendelenburg & Rev Trendelenburg are adjusted by the gas spring at the foot side
- Clear arrow symbols to instruct the user to operate. 4 corner bumpers prevent the stretcher from being damaged by hitting the wall
- Central lockable 360° swivel castors (Dia. 200mm). Easy to access brake pedals are installed at the head & foot sides of the stretcher
- Specifications:
Overall size: 2120×815mm (L×W)
Height range (bed board to ground): 1110-575mm
Bed board: 1910×640mm (L×W)
Back-rest: 0-85°
Trendelenburg./Rev. Trendelenburg: 0-13°
Foldable stainless steel side rails. Radio translucent bed board enables X-ray imaging on stretcher.
Net weight: 100kg
Standard accessory: IV pole

EB-EA7C

Electric Transfer Stretcher

- Functions are achieved by electric motors and gas springs. Treading the foot pedals to adjust height and Trendelenburg./Rev. Trendelenburg Back-rest & foot-rest functions are achieved by gas springs
- Clear arrow symbols to instruct the user to operate. 4 corner bumpers prevent the stretcher from being damaged by hitting the wall
- Central lockable 360° swivel castors (Dia. 200mm). Retractable 5th wheel provides effortless directional movement and cornering. Brake pedals are installed at the head & foot sides of the stretcher. Pushing handles are located at the end of bed, which helps users move the stretcher
- Specifications:
Overall size: 2175×785mm (L×W)
Height range (bed board to ground): 790-565mm
Bed board: 1930×630mm (L×W)
Back-rest: 0-70°
Foot-rest: 0-40°
Trendelenburg./Rev. Trendelenburg: 0-12°
Foldable side rails. Radio translucent bed board enables X-ray imaging on stretcher.
Net weight: 140kg
Standard accessories: 2 pcs IV poles, each with 2 foldable hooks, two IV poles can also be used as push handles.
*Optional function: weighing scale

Emergency First Aid



EB-EA5028A

5-Function Electric Hospital Bed

Specifications:

Material: powder coated steel bed frame, top class ABS & PP plastic
Overall size: 2240mm(L)×1050mm(W)×500mm-750mm
Bed board: 1940mm×900mm(L×W)
Back-rest: 0-65°
Knee gatch: 0-40°
Trendelenburg/Rev. Trendelenburg: 0-12°
Net weight: 148kg
Safe working load: 250kg
Patient weight limit: 175kg
Castors: 360 ° swivel castors (Dia. 150mm), with electric brake

Functions:

Back-rest, knee gatch, Hi-low, Trendelenburg, Rev. Trendelenburg, one touch cardiac chair position, electric CPR, electric brake

Features:

- Advanced durable, long-lasting & heat-sensing touch panels
- The inner protective railing touch panels allow patients to access bed control and adjust as needed for their level of comfort. The outer protective railing touch panels & foot control panel allow caregivers to access bed control and lock for safety purpose
- Removable PP head & foot boards
- 4 damping PP protective railings, with built-in angle indicators, controlled by gas springs. When protective railings fall and retract under the bed board, can achieve seamless connection with the transfer stretcher
- Extendable abdomen & knee sections on bed board
- One touch electric brake
- IV pole sockets (one on each corner)
- Battery backup for power outages
- Standard accessory: IV pole

EB-EA5029

Multifunctional Electric Bed

Specifications:

Material: powder coated steel bed frame, top class ABS & PP plastic, 4 corner bumpers.
Overall size: 2185mm(L)×1045mm(W)×515mm-745mm
Bed board: 1940mm×900mm(L×W)
Back-rest: 0-70°
Knee gatch: 0-40°
Trendelenburg/Rev. Trendelenburg: 0-12°
Hi-low: 515-745mm
Castors: 360 ° swivel castors (Dia. 150mm), with central brake
Net weight: 153kg
Safe working load: 250kg
Patient weight limit: 175kg

Functions:

Back rest, knee gatch, Hi-low, Trendelenburg, Rev. Trendelenburg, one touch cardiac chair position, electric CPR, electric brake

Features:

- Removable head & foot boards can be used as CPR boards in emergency situations
- 1 bumper at each corner
- 4 damping PP protective railings, with built-in angle indicators, controlled by gas springs. When protective railings fall and retract under the bed board, can achieve seamless connection with the transfer stretcher
- 1 brake at each corner
- With the integrated control panels in both protective railings, the caregiver has direct access to all functions and adjustment options of the bed. The bed's height adjustment and Trendelenburg / Rev. Trendelenburg positions can also be set by the foot control. The nurse's hands are free to care for or handle the patient
- Battery backup for power outages
- Standard accessory: IV pole

Emergency First Aid



EB-3CB

Manual Transfer Stretcher

- Turn the crank to adjust height. Turn clockwise, the bed board will go up. Turn anticlockwise, the bed board will go down
- Clear arrow symbols to instruct the user to operate
- Central lockable 360 ° swivel castors (Dia. 150mm). Retractable 5th wheel provides effortless directional movement and cornering
- Integrated utility tray to store the patient's belongings and medical supplies
- Specifications:
Overall size: 1970×685mm (L×W)
Height range (bed board to ground): 791-509mm
- Back-rest: 0-89°
Multi-functional rotary PP side railings can be laid out on a bed positioned next to the stretcher to act as a transfer board for easy and quick transfer. Fixable at horizontal level, where patient's arm can be placed on for the administration of IV or other treatment
- Easy-to-clean PP bed board
- Net weight: 67kg
- Standard accessories: mattress, IV pole

EB-EA5013

3-Function Electric Bed

- Material: powder coated steel bed frame, top class ABS & PP plastic
- Overall size: 2160mm(L)×970mm(W)×455mm-665mm
- Bed board: 1940mm(L)×900mm(W)
- 3 functions controlled by the hand control, with battery backup
Back-rest: 0-70°
Knee gatch: 0-30°
Hi-low: 665mm-455mm
- Net weight: 112kg
- Safe working load: 250kg
Patient weight limit: 175kg
- Castors: 360 ° swivel castors (Dia. 150mm), with central brake under the foot board
(Optional castors: Dia. 125mm swivel castors with individual brakes.)
- Standard accessory: IV pole

EB-MA3009

3-Function manual bed

- Steel framework, top class ABS & PP plastic
- Overall size: 2160mm(L)×970mm(W)×575mm-750mm
Bed board dimension: 1910mm(L)×830mm(W)
- Three functions controlled by cranks
Back-rest: 0-65°±5°
Leg-rest: 0-45°±5°
Hi-low: 750mm-575mm
- PP head & foot board and bed board, detachable and easy to clean 6 columns collapsible aluminum alloy protective railing
- 4pcs universal castor, Ø125mm, individual brake
- Net weight: 102kg
- Standard accessory: IV pole

Emergency First Aid



BCT-CH9003J

2-Function Pediatric Bed

- Steel framework, detachable PP head & foot board
- Overall dimension: 1910mm(L)×930mm(W)×1260mm(H)
Bed board dimension: 1775mm(L)×710mm(W)
- Height: 575mm(bed board to ground)
- Sliding aluminum alloy protective railing dimension: 1780mm×570mm protective tube spacing less than 8cm
- With three gears adjustable: 80mm/310mm/500mm (height from side rail to bed board)
- Two functions controlled by cranks back-rest: 0-70°±5°
Leg-rest: 0-45°±5°
- 4pcs universal castor, Φ125mm, individual brake
- Net weight: 101kg
- Standard accessory: IV pole



BCT-4YC

Hydraulic Baby Cart

- Instead of traditional mechanical buttons, adopt touching keyboard, which is more durable and sensitive
- Height adjustable by hydraulic system, 960-840mm,
- Tilt angle 10°, easy for mother and baby to communicate and feed
- Hand railing could be placed flat, or to angle 90°, to be used as a mosquito net support
- Humanity functions:**
 - Music playing: with a SD memory card, storage music in MP3 format
 - Weight measuring: measure weight at anytime
 - Atmosphere temperature measuring
- Net weight: 27kg



BCT-3YC

Hydraulic Baby Cart

Steel framework, top class ABS & PP plastic, non-toxic, odourless and environmentally friendly
Overall size: 1055(L)×625mm(W)×940mm
Bed board: 890mm (L)×565mm(W)
Height (bed board to ground): 665mm
Rev. Trendelenburg: 0-12°
Net weight: 32kg
Safe working load: 10kg
Castors: Dia. 100mm swivel castors for easy movement and brake. (2 castors with brake)
Functions:
Rev. Trendelenburg positions operated by gas spring lever helps improve baby spit-up.
360° transparent side railings helps parents and caregivers observe the baby easily and creat a safe area for the baby.
Flip to open the side railings, which is convenient for care givers
Additional small side railings inside protects the baby and keep safer

Emergency First Aid

SCH-11A

Motorized Stair Chair

For hospitals, emergency centers, fire, emergency ambulance, family hauling goods up and down the stairs to use The main use of high-rise buildings stair stretcher transfer of goods up and down stairs, only one person can use A unique track structure, convenient and safe when the stretcher down the stairs It is made of high-strength aluminum alloy materials Castor sizes: Φ125/75mm Product size (L×W×H): 70×55×(115-177)cm Foldaway (L×W×H): 115×55×32cm Net weight: 24kg Load limit: ≤200kg



SCH-SW03

Motorized Stair Chair

It is a heavy duty light-weight foldable and portable electric wheelchair It can be put into trunk easily for its foldable light-weight aluminum alloy frame Detachable and washable seat cushion and back-rest. The foot pedal can be flipped up Aluminum frame enables the wheelchair have a light weight, only weighs 23.5kg. Beautiful back wheel metal hub is stable and durable The wheelchair controller is easy and convenient to operate, and the wheelchair has strong power by two motors Intelligent electromagnetic brake keeps users safe. Precise battery indicator Product size (L×W×H): 125×55×163cm Foldaway (L×W×H): 105×55×33cm Net weight: 30kg Load limit: ≤200kg



SCH-ST003A

Motorized Stair Chair

For hospitals, emergency centers, fire, emergency ambulance, family transfer patients up and down the stairs to use The main use of high-rise buildings stair stretcher transfer of patients up and down stairs, only one person can use A unique track structure, convenient and safe when the stretcher down the stairs It is made of high-strength aluminum alloy materials Castor sizes: Φ125/75mm Product Size (L×W×H): 125×55×163cm Foldaway (L×W×H): 105×55×33cm Net weight: 30kg Load limit: ≤200kg



+ www.medist.cn